

Surgical Site Infection Rates

Surgical Site Infection Rates

A surgical site infection (SSI) is an infection that is acquired during the surgical process. Infections happen because germs are everywhere –on your skin, in the air and on things you touch. SSIs can be minor, or occasionally can increase complications that result in a longer length of stay in the hospital or readmission of patients.

Below is the quarterly Surgical Site Infection rate for surgeries which the Infection Prevention and Control team at Woodstock Hospital tracks.

SSI rate for Total Hip and Knee Arthroplasty		
Quarter	2019	2020
Q1 Apr. - June	2%	0.0%
Q2 July - Sept.	0%	0.0%
Q3 Oct. - Dec.	0%	
Q4 Jan. - Mar.	0%	

[Accessibility](#)

[Cafeteria](#)

[Freedom of Information and Protection of Privacy Act \(FIPPA\)](#)

[Gift Shop](#)

[Infection Prevention and Control](#)

[Novel Coronavirus \(COVID-19\) Information](#)

[Parking](#)

[Patient and Family Advisory](#)

[Patient Safety Indicators](#)

[Pay Now](#)

[Pharmasave](#)

[Privacy and Confidentiality](#)

[Spiritual Care Services](#)

Related pages

- [C.Difficile Rates](#)
- [Central Line Infection](#)
- [Hand Hygiene Compliance](#)
- [MRSA/VRE Bacteremia Rates](#)
- [Surgical Site Infection Rates](#)
- [Ventilator Associated Pneumonia](#)